



PQS

PRACTICAL QUALITY SYSTEMS
Fast Custom Manufacturing - Nationwide Installation Services




Note: 80402-SS AnyPlace Kiosk Enclosure with IBM 4838-310 terminal installed and mounted to PQS 35LB Swing Arm (PN 80972). Available in stainless steel (PN 80402-SS) and metallic powder coated finish (PN 80402-CH)

PRODUCT SPECIFICATIONS:




- Enclosure supports IBM 4838-310 Anyplace Kiosk System Unit 15-inch Models 135, 1Z5, E35, EZ5, W5D, W5Z ; Width 15.0 in (380mm) x Depth 2.8 in (72mm) x Height: 14.0 in (355mm)




- Meets NEMA Type 2 rating - Enclosures constructed for indoor use to provide a degree of protection to personnel against access to hazardous parts; to provide a degree of protection of the equipment inside the enclosure against ingress of solid foreign objects (falling dirt); and to provide a degree of protection with respect to harmful effects on the equipment due to the ingress of water (dripping and light splashing).

- Includes an active ventilation system to maintain air flow and reduce condensation.
- No modification to the terminal's power cables, associated hardware or to the terminal itself is required for installation.
- Two sets of upper and lower locking plates adjust with a Phillips screw driver to secure the terminal and hold it firmly against the touch screen sealing gasket.
- A heavy duty hinged back panel opens without tools and allows full access to the interior without removing the enclosure from the mounting system.
- A small swivel-open door on the bottom front of the enclosure allows easy access to the power button, brightness controls and USB port.
- Enclosure includes external attachment points for optional Bar Code Scanner and Magnetic Strip Reader mounting bars.

POWER AND DATA
CABLES CAN BE ROUTED
BEHIND TOP COVER




- When the top cover is closed the rear vent section allows for convenient and concealable cable routing.
- Downward facing Louvers are located over the terminal's speakers to keep falling liquids and dust from entering while allowing sound to get out.
- Close fitting neoprene gaskets surround the entire edge of the terminal's screen, speakers and indicator lights to seal it against liquid entry.
- Includes an *internal mounting bracket* for the terminal's Power Supply that doubles as a handle to help support the terminal during installation into the enclosure.
- Includes an internal three outlet power strip with 9' grounded cord.
- Enclosures also available for IBM 17" & 19" terminals.
- To order the stainless steel enclosure use PN 80402-SS.
- To order the enclosure with chrome metallic powder coated steel finish use PN 80402-CH.



INSTALLATION INSTRUCTIONS

OPEN ENCLOSURE AND REMOVE SAFETY CABLE

- ① REMOVE THUMBSCREWS TO OPEN TOP COVER AND REAR PANEL.



- ② DISCONNECT SAFETY CABLE
DISCONNECT SNAP CLIP END OF SAFETY CABLE FROM ENCLOSURE BODY

- ④ RETRACT LOCKING PLATES
USE A PHILLIPS SCREW DRIVER TO RETRACT UPPER AND LOWER LOCKING PLATES ENOUGH TO INSERT TERMINAL. ONCE LOOSENED, SLIDE LOWER LOCKING PLATES TOWARDS HINGED SIDE OF ENCLOSURE AS FAR AS POSSIBLE.

- ⑤ INSERT TERMINAL
LIFTING FROM THE LIFTING HANDLE, GUIDE THE TOP OF THE TERMINAL IN TOWARDS THE TOP OF THE ENCLOSURE. GENTLY LOWER THE TERMINAL UNTIL IT RESTS FLAT INSIDE THE GASKETS.


- ⑥ SUPPORTING BOTTOM OF TERMINAL
GENTLY PULL THE TERMINAL SO THAT WHEN TURNED UPRIGHT THE TERMINAL'S WEIGHT IS SUPPORTED BY THE FOAM SUPPORT PADS

ATTACH LIFTING HANDLE TO TERMINAL

- ③ LIFTING HANDLE
USE THE PROVIDED M4 SCREWS TO ATTACH THE LIFTING HANDLE TO THE TERMINAL





RETRACT LOCKING PLATES & INSERT TERMINAL




LOCKING TERMINAL IN PLACE

- ⑦ LOWER LOCKING PLATES
SLIDE UP LOWER LOCKING PLATES ON BOTH SIDES OF ENCLOSURE SO THAT THEY COVER THE BOTTOM CORNERS OF THE TERMINAL.

ONCE IN PLACE USE A PHILLIPS SCREW DRIVER TO LOCK PLATES DOWN. DO NOT OVER TIGHTEN! ONCE THE PLATE CONTACTS THE TERMINAL, TIGHTEN THE SCREW ONLY 2 COMPLETE REVOLUTIONS.



- ⑧ UPPER LOCKING PLATES
USE A PHILLIPS SCREW DRIVER TO LOWER THE UPPER LOCKING PLATES AND SECURE THE TERMINAL. DO NOT OVER TIGHTEN! ONCE THE PLATE CONTACTS THE TERMINAL, TIGHTEN THE SCREW ONLY 2 COMPLETE REVOLUTIONS
IMPORTANT NOTE: TURN THE ADJUSTING SCREWS FOR THE UPPER CLAMPING PLATES CLOCKWISE TO LOOSEN AND COUNTER CLOCKWISE TO TIGHTEN.




ATTACH POWER SUPPLY AND POWER STRIP

- ⑨ ATTACH POWER SUPPLY AND POWER STRIP TO LIFTING HANDLE. USE HOOK & LOOP STRAP TO SECURE POWER SUPPLY. RUN ZIP TIES TO THROUGH CABLE TIE POINTS TO ATTACH POWER STRIP.

CABLE TIE POINTS FOR SECURING POWER STRIP


SLOT FOR HOOK AND LOOP STRAP



SHUTTING AND SECURING ENCLOSURE



- ⑩ REATTACH SAFETY CABLE
REATTACH CABLE END THAT WAS REMOVED.

- ⑪ LOCKING ENCLOSURE
SWING REAR PANEL CLOSED THEN CLOSE TOP COVER OVER IT. ALIGN HOLES AND INSERT THUMBSCREWS TO LOCK ENCLOSURE.



MOUNTING OPTIONS:

ATTACHING TO PQS 35LB PAN & TILT HEAD



WARNING: If using any PQS mounting product, please refer to that product's installation instructions to correctly install the mount. PQS recommends installation by a professional.

- Enclosures mount to any 100mm VESA compatible pan and tilt head (note: because of the combined weight of the enclosure and terminal (32lbs) we recommend mounting to one of our **PQS 35LB Mounting Systems**).
- This assembly can also be integrated to any of our *35lb Mounting Products* to create a support solution for any mounting location.
- **PQS** offers several mounting options for our *AnyPlace Kiosk Monitor Enclosures* and other medium duty 35LB mounting products.

We believe in ethical SEO relevancy; the following section was included to assist the all-knowing algorithms in locating this page; however, some humans like it too.

- VESA wall mount, VESA wall mounting bracket, VESA wall mount bracket, Screen wall mount, screen wall mounting bracket, screen wall mount bracket, monitor wall mount, monitor wall mounting bracket.
- Monitor wall mount bracket, POS terminal wall mount, POS terminal wall mounting bracket, POS terminal wall mount bracket, Point of Sale POS terminal wall mount, Point of Sale terminal wall mounting bracket.
- Point of Sale terminal wall mount bracket, KDS wall mount, KDS wall mounting bracket, KDS wall mount bracket, Kitchen Display System wall mount, Kitchen Display System wall mounting bracket. Kitchen Display System wall mount bracket, Kitchen production System wall mount, Kitchen Monitor wall mount.
- Kitchen video wall mount. Touchscreen wall mount, All in One PC wall mount, Healthcare monitor wall mount, Industrial process monitor wall mount, Kiosk wall mount, Office monitor wall mount, manufacturing process monitor wall mount.

Interactive Catalog of Enclosures for Touchscreen, Monitors and Thin Clients

These mounts are included in the [Enclosures for Touchscreen, Monitors and Thin Clients](#) product group pages on our website.

For more information; click on the images or descriptions to visit the individual product pages on our website. PDF Product Information Sheets are available at the Product Attachments tab on each product page.


[Practical Quality Systems Home Page](#)



[PN 80400-SS - 17-19" Universal Monitor and Thin Client Environmental Enclosure \(Stainless Steel\)](#)



[PN 80401-SS - 20-24" Universal Monitor and Thin Client Environmental Enclosure \(Stainless Steel\)](#)




[PN 80402-SS - IBM TOSHIBA 4838 15 IN Anyplace Kiosk Enclosure \(Stainless Steel\)](#)



[PN 80403-AL - ELO 22" \(elo #E107766, ELO 2201L and ELO 22 inch I series\) Touchscreen + Thin Client Enclosure](#)




[PN 80403-SS - ELO 22" \(elo #E107766 or 2201L\) Touchscreen + Thin Client Enclosure \(stainless steel\)](#)




[PN 80404-AL - Elo 17" \(elo #E1715L\) Touchscreen + Thin Client Enclosure \(Chrome Painted Aluminum\)](#)




[PN 80405-AL - ELO 19 IN E1919L Touchscreen Enclosure](#)



[PN 80600-BLK - Back of Screen Storage Enclosure 100mm VESA - Black](#)



[PN 80600-CH - Back of Screen Storage Enclosure 100mm VESA - Chrome](#)



[PN 80640 - Universal Thin Client Security Enclosure](#)

Interactive Catalog of Product Sub Groups

There are many individual products included in the various product sub groups featured on these pages.

Click on the images or descriptions to visit the individual product sub group pages on our website.

For Information about individual products; click on the "Product Attachments" tab on each of the individual product pages.

[Practical Quality Systems Home Page](#)




[Wall Mounts for Screens](#)



[Wall Mounts for POS Printers](#)



[Wall Mounts for Screens and POS Printers](#)




[Shelf Edge Mounts for Screens](#)



[Shelf Edge Mounts for POS Printers](#)



[Shelf Edge Mounts for Screens and POS Printers](#)




[Counter Top Mounts for Screens](#)



[Counter Top Mounts for POS Printers](#)



[Counter Top Mounts for Screens and POS Printers](#)



[Under Counter Mounts for Screens](#)



[Under Counter Mounts for POS Printers](#)



[Under Counter Mounts for Screens and POS Printers](#)


Interactive Catalog of Product Sub Groups

There are many individual products included in the various product sub groups featured on these pages.

Click on the images or descriptions to visit the individual product sub group pages on our website.

For Information about individual products; click on the "Product Attachments" tab on each of the individual product pages.

[Practical Quality Systems Home Page](#)



[Pole Mounts for Screens](#)



[Pole Mounts for POS Printers](#)



[Ceiling Mounts for Screens](#)



[Oracle MICROS Mounting Systems](#)



[NCR Aloha KDS Mounting Solutions](#)



[QSR KDS Mounting Solutions](#)




[Logic Controls Bematech KDS Mounting Solutions](#)



[Universal Kitchen Display System Mounting Packages](#)




[Enclosures for Touchscreen, Monitors and Thin Clients](#)



[Back Of Screen VESA Mounts for Controllers, Thin Clients, Bump Bars, Tap+ Touch + EMV Readers](#)



[Stainless Steel Wireways](#)



[Stainless Steel Power and Data Outlet Monuments](#)

Interactive Catalog of Product Sub Groups

There are many individual products included in the various product sub groups featured on these pages.

Click on the images or descriptions to visit the individual product sub group pages on our website.

For Information about individual products; click on the "Product Attachments" tab on each of the individual product pages.


[Practical Quality Systems Home Page](#)




[Movable Countertop POS Stands](#)



[Direct Mount Countertop POS Stands](#)




[POS Cashier Pole Stands](#)



[POS Cashier Floor Stands](#)



[POS Self-Check Out Kiosk Floor Stands](#)



[POS Self-Check Out Kiosk Pole Stands](#)




[Take Out Pickup Pole Stands](#)



[Take Out Pickup Floor Stands](#)




[Information Kiosk Floor Stands](#)



[Desktop Multi-Screen Pedestal Stands](#)



[4X4 Pole Clamp on Mounts](#)



[Mobile Cashier Stands](#)

Interactive Catalog of Product Sub Groups

There are many individual products included in the various product sub groups featured on these pages.


Click on the images or descriptions to visit the individual product sub group pages on our website.

For Information about individual products; click on the "Product Attachments" tab on each of the individual product pages.

[Practical Quality Systems Home Page](#)

New Product
Coming Q3
2023

Mobile Self-Check Out Stands



[Digital Signage Pole Stands](#)

New Product
Coming Q3
2023


Stationary Podiums

New Product
Coming Q3
2023


Stationary Podiums with Ceiling Feed Pole

New Product
Coming Q3
2023


Mobile Podiums



[Ingenico Lane Reader Mounting Systems](#)



[Other Counter Top Mounts](#)



[Cash Drawer Mounting Solutions](#)