




(818) 993-1022



#### PRODUCT SPECIFICATIONS

General Features

- This Countertop or Shelf Edge mount can be used as a universal support system for two Partner Tech EM-200 tablet terminals for Point of Sale / POS, Kitchen Display Systems / KDS in commercial kitchens, retail, restaurants, offices, industry, shops, medical, maritime, schools, laboratory and many other applications.
- This hardware and bracket assembly supports up to 20 lbs.
- Supports two Partner Tech EM-200 touch terminals mounted inside of the enclosure to provide complete protection against falling liquids and dust.
- Meets NEMA Type 2 rating- Enclosures constructed for indoor use to provide a degree of protection to
  personnel against access to hazardous parts. Also provides a degree of protection of the equipment
  inside the enclosure against ingress of solid foreign objects (falling dirt) and protection from harmful
  effects on the equipment due to the ingress of water (dripping and light splashing).
- Included spiral wrap sleeve protects data and power cables.
- Each assembly includes one USB speaker bar that connects to the bartender-side screen to increase the sound level of the "order up" audio prompts. A second speaker bar can be added if desired for the other screen.
- External power button lever easily actuates the power on/off button on the side of the computer.

info@practicalqualitysystems.com WWW.PRACTICALQUALITYSYSTEMS.COM (818) 993-1022

#### Document Number 80921 PIS

## Partner Tech EM-200 Two Screen Enclosed Countertop Mount PN 80921

**Base Plate Features** 


- Storage area in base also conceals and protects power supplies, connectors, power strip, USB speaker bar and data cabling.
- Four 5/8" tall rubber feet raise the entire enclosure above the counter top to help protect it from liquids and make it easy to rotate.
- Large opening in base allows for easier repositioning of mount over counter top penetration hole.


# Monitor Plate Features


- Thumbscrews secure terminals to *mounting plates* while wing nuts secure mounting plates to the *front cover plates* for easy installation and removal that requires no tools.
- The interior includes multiple tie points to secure power supply and data cabling.

#### **Cover Plate Features**

- A close fitting gasket surrounds the entire edge of the touch screens to seal them against liquid entry.
- Downward facing Louvers located near the top on both sides of the enclosure allow passive ventilation.
- Thumbscrews secure the *front cover plates* and *top cover plate* in the closed position but are removable for easy access to internal storage area.









#### MOUNTING OPTIONS

 Mounting options for Partner Tech EM-200 touch screen monitors also include a Wall Mount with Storage Compartment (PN 80916), Custom Fit Flat Mount (PN 80919), Single Countertop Mount (PN




80915), *Multi Screen Flat Mount Bar* (PN 60126) or as a *Custom Fit* pan and tilt head by itself (PN 80880-401).

• All of our screen pan and tilt heads can be used with any of the following mounting systems.




# MANY DIFFERENT MOUNTING OPTIONS ARE AVAILABLE FOR ALL ENCLOSURES. SEE OUR MOUNTING SYSTEMS PRODUCT GROUP PAGE FOR DETAILS



UNIVERSAL ENCLOSURES FOR FLAT PANEL MONITORS AND THIN CLIENTS P/N: 80400 - ENCLOSURES FOR 17" - 19" P/N: 80401 - ENCLOSURES FOR 20" - 24"



ENCLOSURES FOR AN IBM APK TOUCH TERMINAL P/N: 80402




ENCLOSURES FOR A PARTNER TECH TABLET PC P/N: 80927




COUNTER TOP DUAL ENCLOSURE MOUNT FOR PARTNER TECH EM-200 P/N: 80921


# SOME EXAMPLES OF ENCLOSURES AND MOUNTING SYSTEMS FOR MONITORS, TOUCH COMPUTERS, KEYBOARDS, AND THIN CLIENTS



UNIVERSAL KEYBOARD AND SCREEN MOUNT SHOWN WITH AN ALL IN ONE KEYBOARD AND A FLAT SCREEN MONITOR P/N : 82010



WALL MOUNT ENCLOSURE WITH AN ALL IN ONE KEYBOARD SHOWN WITH A UNIVERSAL MONITOR ENCLOSURE AND A THIN CLIENT P/N : 80682



UNIVERSAL WALL MOUNTED ADJUSTABLE KEYBOARD TRAY ON TWO ARMS P/N : 80010